




This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



NOTES:


1. PART OF KIT RBE350A94-3400-04.
2. REF EUROCOPTER T/N 355A94-3440-14.

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
	X		-1	1	SIGHT BRACKET			2
	1		-3		BASE	4140	3/8 X 4-1/8 X 4-3/8	3
	1		-5		SHAFT	1018 C.D.S.	Ø1/2 X .188 WALL X 3	4
			-7	3	BOLT	STEEL	M8-1.25mm MCMaster-CARR #91280A548 (MODIFIED)	5
		B/O	-9	3	WASHER	STEEL	M8 MCASTER-CARR #91455A130	1
		B/O	-11	3	NUT	STEEL	M8 X 1.25mm MCMaster-CARR #90591A161	1
		B/O	-13	3	LRG. WASHER	STEEL	M8 MCMaster-CARR #91100A160	1
		B/O	-15	9	BELLEVILLE WASHER	STEEL	M8 MCMaster-CARR #96445K231	1
	ASSY -1							

RED BARN MACHINE	
TITLE SIGHT BRACKET	
DWG NO. RBE355A94-3440-14	REV
MAT'L	DRAWN BY: SMITH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/32	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AS350, AS355
SCALE 1:2	DATE 9/26/2013
	SHEET 1 OF 5

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED






(-1)
SIGHT BRACKET

RED BARN MACHINE	
SIGHT BRACKET	
DWG NO.	REV
RBE355A94-3440-14-1	
MAT'L	DRAWN BY: SMITH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX \pm .005	HEAT TREAT
.XX \pm .01	FINISH
.X \pm .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AS350, AS355
SCALE 1:2	DATE 10/25/2013
SHEET 2 OF 5	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL





(-3)
BASE

RED BARN MACHINE	
TITLE	
DWG NO.	RBE355A94-3440-14-3
MAT'L 4140	DRAWN BY: SMITH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°	APPROVED <i>D Weil</i> HEAT TREAT FINISH BLACK OXIDE SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL AS350, AS355
SCALE 1:1	DATE 9/24/2013
SHEET 3 OF 5	



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL






(-5)

SHAFT

 RED BARN MACHINE	
TITLE SIGHT BRACKET	
DWG NO. RBE355A94-3440-14-5	REV 1
MAT'L 1018 C.D.S.	DRAWN BY: SMITH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	APPROVED 
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	HEAT TREAT FINISH BLACK OXIDE SPEC USED ON MODEL AS350, AS355
SCALE 1:1	DATE 10/25/2013
SHEET 4 OF 5	



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



(-7)

BOLT

 RED BARN MACHINE	
TITLE SIGHT BRACKET	
DWG NO. RBE355A94-3440-14-7	REV
MAT'L STEEL	DRAWN BY: SMITH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 .XX ± .01 .X ± .1	APPROVED 
FRACTIONS ± 1/32 ANGLES ± 5°	HEAT TREAT FINISH
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	SPEC USED ON MODEL AS350, AS355
SCALE 2:1	DATE 9/26/2013
SHEET 5 OF 5	